



355x2.5x25.4mm Brown 1 Net



[View Details](#)

Classification

Cutting Wheel ->Thick Cutting Wheel for Stainless Steel Metal And Steel And Iron

Product Description

Material:	White Alumina
Abrasive:	Normal Abrasive
Shapes:	T41 Flat
Types:	Cutting Wheel
Grain Size:	30#
Cylindricity:	<1

Circular Degree <1

Technics : Sinter

Working Style :Cutting

Transport Package: 25 PCS/CTN 4

Specification 14 inch 355*2.5*25.4

Trademark : KENBO/OEM

Origin :China

HS Code:6804221000



ADDRESS: Economic Developement Area,Yongkang,Zhejiang Province,China.



EMAIL: kingbirdabrasives@foxmail.com



PHONE & WECHAT : +86-151-6791-9567

Production Capacity:10000/Piece

Features:

- 1.Cutting of steel sheets, tube, profiles and full-materials.
- 2.Long life time and sharp

Advantages:

- 1.Economical and competitive cost
- 2.No more times loss due to machine or products changing
- 3.No contamination
- 4.Suitable for cutting metal, steel, alloyed and unalloyed steel, structural steel ,tool steel ,high speed steel ,stainless steel ,acid resistant steel and nonferrous metal and high precision results could be successes.
- 5.High metal removal rate
- 6.Efficient, less materials loss
- 7.Reduced energy consumption

Quality and Service:

1. 20 Years Manufacturing experience and abundant export experience
- 2.ISO 9001 certification
3. Accept OEM
4. Free samples for quality test
- 5.Professional and fast service

Size& Specification:



ADDRESS: Economic Developement Area,Yongkang,Zhejiang Province,China.



EMAIL: kingbirdabrasives@foxmail.com



PHONE & WECHAT : +86-151-6791-9567

Item Code	Dimension (mm)	Dimension (Inch)	Speed (R.P.M)	Speed (M/S)	Q'TY/ctn (pcs)	CTN SIZE (cm)	N.W/ G.W (kgs)
KCWS1003016	100x3x16	4*1/8*7/8	13700	72m/s	400	44x23x23	22/23
KCWS1153022	115x3x22	4-1/2*1/8*7/8	11900	72m/s	200	27x25x25	14/15
KCWS1253022	125x3x22	5*1/8*7/8	11000	72m/s	200	38x27x14	16/17
KCWS1503022	150x3x22	6*1/8*7/8	9100	72m/s	200	38x32x17	25/26
KCWS1803022	180x3x22	7*1/8*7/8	7600	72m/s	200	38x20x20	17/18
KCWS2303022	230x3x22	9*1/8*7/8	5950	72m/s	100	38x25x25	26/27
KCWS30030254	300x3x25.4	12*1/8*7/8	4600	72m/s	25	31x31x9	12/13
KCWS35525254	355x2.5x25.4	12*1/10*7/8	3900	72m/s	25	36x36x9	16/17
KCWM35528254	355x2.8x25.4	12*1/9*7/8	3900	72m/s	25	36x36x9	16/17
KCWM35530254	355x3x25.4	12*1/8*7/8	3900	72m/s	25	36x36x9	16/17
KCWM40530254	405x3x25.4	12*1/8*7/8	3400	72m/s	25	41x41x9	23/24